



CATALOGUE ' 2022



WATER SUPPLY

PIPELINE PARTS

DI VALVES

DI FITTINGS & JOINTS

STEEL FLANGES

HDPE FITTINGS

ANTOMEX-B Ltd

Sofia city
10 Poruchik Hristo Toprakchiev str.
Bulgaria

+359 878 901 346
+359 896 890 549
+359 896 890 531
+359 887 766 177
+359 899 901 346

www.antomex.eu
antomeks@gmail.com

INJECTION MOULDED PE100 BUTT FUSION FITTINGS

ELBOW 90°	D	HE3491-LS BLACK	Cat.No		
	mm		PN20	PN10	PN16
	40				101 023
	50			101 001	101 024
	63		101 044	101 002	101 025
	75			101 003	101 026
	90		101 045	101 004	101 027
	110		101 046	101 005	101 028
	125			101 006	101 029
	140			101 007	101 030
	160		101 047	101 008	101 031
	180		101 048	101 009	101 032
	200		101 049	101 010	101 033
	225		101 050	101 011	101 034
	250		101 051	101 012	101 035
	280		101 052	101 013	101 036
	315		101 053	101 014	101 037
	355			101 015	101 038
	400			101 016	101 039
	450			101 017	101 040
	500			101 018	101 041
	560			101 019	101 042
	630			101 020	101 043
	710			101 021	
	800			101 022	

ELBOW 45°	D		Cat.No		
	mm		PN20	PN10	PN16
	40				102 022
	50				102 023
	63		102 043	102 001	102 024
	75			102 002	102 025
	90		102 044	102 003	102 026
	110		102 045	102 004	102 027
	125			102 005	102 028
	140			102 006	102 029
	160		102 046	102 007	102 030
	180		102 047	102 008	102 031
	200		102 048	102 009	102 032
	225		102 049	102 010	102 033
	250		102 050	102 011	102 034
	280			102 012	102 035
	315		102 048	102 013	102 036
	355			102 014	102 037
	400			102 015	102 038
	450			102 016	102 039
	500			102 017	102 040
	560			102 018	102 041
	630			102 019	102 042
	710			102 020	
	800			102 021	

ELBOW 22.5°	D	Cat.No		
	mm			
	90			
	110			
	125			
	140			
	160			
	200			
	225			
	250			
	280			
	315			
	355			
	400			
	450			
	500			
	630			
CROSS	D	Cat.No		
	mm			
	63			104 007
	90			104 008
	110		104 001	104 009
	160			104 010
	200			104 011
	250		104 002	
	315		104 003	
	450		104 004	104 012
	500		104 005	104 013
	560			104 014
	630		104 006	104 015



TEE 90°	D		Cat.No		
	mm		PN20	PN10	PN16
	40				105 023
	50			105 001	105 024
	63		105 044	105 002	105 025
	75			105 003	105 026
	90		105 045	105 004	105 027
	110		105 046	105 005	105 028
	125			105 006	105 029
	140			105 007	105 030
	160		105 047	105 008	105 031
	180		105 048	105 009	105 032
	200		105 049	105 010	105 033
	225		105 050	105 011	105 034
	250		105 051	105 012	105 035
	280			105 013	105 036
	315		105 052	105 014	105 037
	355			105 015	105 038
	400			105 016	105 039
	450			105 017	105 040
	500			105 018	105 041
	560			105 019	105 042
	630			105 020	105 043
	710			105 021	
	800			105 022	

FLANGE STUB END	D		Cat.No			
	mm		PN20	PN10	PN16	
	20				106 026	
	25				106 027	
	32				106 028	
	40		106 055		106 029	
	50		106 056		106 001	106 030
	63		106 057		106 002	106 031
	75		106 058	106 003	106 032	
	90		106 059	106 004	106 033	
	110		106 060	106 005	106 034	
	125		106 061	106 006	106 035	
	140		106 062	106 007	106 036	
	160		106 063	106 008	106 037	
	180		106 064	106 009	106 038	
	200		106 065	106 010	106 039	
	225		106 066	106 011	106 040	
	250		106 067	106 012	106 041	
	280		106 068	106 013	106 042	
	315		106 069	106 014	106 043	
	355				106 015	106 044
	400				106 016	106 045
	450				106 017	106 046
	500				106 018	106 047
	560				106 019	106 048
	630				106 020	106 049
	710				106 021	106 050
	800				106 022	106 051
	900				106 023	106 052
	1 000				106 024	106 053
	1 200				106 025	106 054

END CAP	D		Cat.No		
	mm		PN20	PN10	PN16
	20				107 026
	25				107 027
	32				107 028
	40				107 029
	50				107 030
	63			107 001	107 031
	75			107 002	107 032
	90			107 003	107 033
	110			107 004	107 034
	125			107 005	107 035
	140			107 006	107 036
	160		107 054	107 007	107 037
	180			107 008	107 038
	200		107 055	107 009	107 039
	225			107 010	107 040
	250			107 011	107 041
	280			107 012	107 042
	315			107 013	107 043
	355			107 014	107 044
	400			107 015	107 045
	450			107 016	107 046
	500			107 017	107 047
	560			107 018	107 048
	630			107 019	107 049
	710			107 020	107 050
	800			107 021	107 051
	900			107 022	107 052
	1 000			107 023	107 053
	1 200			107 024	
	1 600			107 025	



REDUCER	D	d	Cat.No				
	mm	mm	PN20	PN10	PN16		
	32	25			108 110		
	40	32			108 111		
	50	40			108 112		
	63	25			108 113		
	63	32			108 114		
	63	40			108 115		
	63	50			108 212	108 116	
	75	32					108 117
	75	40					108 118
	75	50					108 119
	75	63					108 120
	90	32					108 121
	90	40					108 122
	90	50				108 002	108 123
	90	63			108 213	108 003	108 124
	90	75			108 214	108 004	108 125
	110	40			108 126		
	110	50				108 005	108 127
	110	63				108 006	108 128
	110	75				108 007	108 129
	110	90	108 215	108 008	108 130		
	125	50			108 131		
	125	63				108 009	108 132
	125	75				108 010	108 133
	125	90				108 011	108 134
	125	110				108 012	108 135
	140	63				108 013	108 136
	140	75				108 014	108 137
	140	90				108 015	108 138
	140	110				108 016	108 139
	140	125				108 017	108 140
	160	32					108 141
160	50	108 142					
160	63	108 216	108 018	108 143			
160	75		108 019	108 144			
160	90		108 020	108 145			



REDUCER	D	d	Cat.No		
	mm	mm	PN20	PN10	PN16
	160	110	108 217	108 021	108 146
	160	125		108 022	108 147
	160	140		108 023	108 148
	180	75			108 149
	180	90			
	180	110		108 024	108 150
	180	125		108 025	108 151
	180	140		108 026	108 152
	180	160		108 027	108 153
	200	63		108 028	108 154
	200	75		108 029	108 155
	200	90		108 030	108 156
	200	110		108 031	108 157
	200	125		108 032	108 158
	200	140		108 033	108 159
	200	160		108 034	108 160
	200	180		108 035	108 161
	200	180	108 218	108 036	108 162
	225	63			108 163
	225	75			108 164
	225	90		108 037	108 165
	225	110	108 219	108 038	108 166
	225	125		108 039	108 167
	225	140		108 040	108 168
	225	160	208 220	108 041	108 169
	225	180		108 042	108 170
	225	200		108 043	108 171
	250	63			108 172
	250	75			108 173
	250	90		108 044	108 174
	250	110		108 045	108 175
	250	125		108 046	108 176
	250	160		108 047	108 177
	250	180		108 048	108 178
	250	200		108 049	108 179
	250	225		108 050	108 180



REDUCER	D	d	Cat.No		
	mm	mm	PN20	PN10	PN16
	280	110		108 051	108 181
	280	125		108 052	108 182
	280	140		108 053	108 183
	280	160		108 054	108 184
	280	180		108 055	108 185
	280	200		108 056	108 186
	280	225	108 221	108 057	108 187
	280	250		108 058	108 188
	315	90		108 059	108 189
	315	110		108 060	108 190
	315	125		108 061	108 191
	315	160	108 222	108 062	108 192
	315	180		108 063	108 193
	315	200		108 064	108 194
	315	225	108 223	108 065	108 195
	315	250	108 224	108 066	108 196
	315	280	108 225	108 067	108 197
	355	110		108 068	108 198
	355	160		108 069	108 199
	355	200		108 070	108 200
	355	225		108 071	108 201
	355	250		108 072	108 202
	355	280		108 073	108 203
	355	315		108 074	108 204
	400	160		108 075	108 205
	400	200		108 076	108 206
	400	225		108 077	108 207
	400	250		108 078	108 208
	400	280		108 079	108 209
	400	315	108 226	108 080	108 210
	400	355		108 081	108 211
	450	200		108 082	
	450	225		108 083	
	450	250		108 084	



REDUCER	D	d	Cat.No		
	mm	mm	PN20	PN10	PN16
	450	280		108 085	
	450	315		108 086	
	450	355		108 087	
	450	400		108 088	
	500	200		108 089	
	500	225		108 090	
	500	250		108 091	
	500	280		108 092	
	500	315		108 093	
	500	355		108 094	
	500	400		108 095	
	500	450		108 096	
	560	315		108 097	
	560	355		108 098	
	560	400		108 099	
	560	450		108 100	
	560	500		108 101	
	630	315		108 102	
	630	355		108 103	
	630	400		108 104	
	630	450		108 105	
	630	500		108 106	
	630	560		108 107	
	710	630		108 108	
	800	710		108 109	

TEE REDUCED



D

d

Cat.No

mm

mm

PN20

PN10

PN16

50

32

109 136

63

25

109 137

63

32

109 138

63

40

109 139

63

50

109 140

75

32

109 141

75

40

109 142

75

50

109 143

75

63

109 144

90

32

109 001

109 145

90

40

109 002

109 146

90

50

109 003

109 147

90

63

109 004

109 148

90

75

109 005

109 149

110

32

109 006

109 150

110

40

109 007

109 151

110

50

109 008

109 152

110

63

109 009

109 153

110

75

109 010

109 154

110

90

109 011

109 155

125

63

109 012

109 156

125

75

109 013

109 157

125

90

109 014

109 158

125

110

109 015

109 159

140

63

109 016

109 160

140

75

109 017

109 161

140

90

109 018

109 162

140

110

109 019

109 163

TEE REDUCED



D

d

Cat.No

mm

mm

PN20

PN10

PN16

140

125

109 020

109 164

160

63

109 256

109 021

109 165

160

75

109 022

109 166

160

90

109 023

109 167

160

110

109 257

109 024

109 168

160

125

109 025

109 169

160

140

109 026

109 170

180

63

109 171

180

75

109 172

180

90

109 026

109 173

180

110

109 027

109 174

180

125

109 028

109 175

180

140

109 029

109 176

180

160

109 030

109 177

200

63

109 031

109 178

200

75

109 032

109 179

200

90

109 258

109 033

109 180

200

110

109 259

109 034

109 181

200

125

109 035

109 182

200

140

109 036

109 183

200

160

109 037

109 184

200

180

109 038

109 185

225

63

109 039

109 186

225

75

109 040

109 187

225

90

109 260

109 041

109 188

225

110

109 261

109 042

109 189

225

125

109 043

109 190

225

140

109 044

109 191

TEE REDUCED



D

d

Cat.No

mm

mm

PN20

PN10

PN16

225

160

109 045

109 192

225

180

109 046

109 193

225

200

109 047

109 194

250

63

109 048

250

75

109 049

250

90

109 050

109 195

250

110

109 051

109 196

250

125

109 052

109 197

250

140

109 053

109 198

250

160

109 054

109 199

250

180

109 262

109 055

109 200

250

200

109 056

109 201

250

225

109 057

109 202

280

90

109 058

109 203

280

110

109 059

109 204

280

125

109 060

109 205

280

140

109 061

109 206

280

160

109 062

109 207

280

180

109 063

109 208

280

200

109 064

109 209

280

225

109 065

109 210

280

250

109 066

109 211

315

75

109 067

315

90

109 068

109 212

315

110

109 263

109 069

109 213

315

125

109 070

109 214

315

140

109 071

109 215

315

160

109 264

109 072

109 216

TEE REDUCED	D	d	Cat.No		
	mm	mm	PN20	PN10	PN16
	315	180		109 073	109 217
	315	200	109 265	109 074	109 218
	315	225	109 266	109 075	109 219
	315	250	109 267	109 076	109 220
	315	280	109 268	109 077	109 221
	355	90		109 078	109 222
	355	110		109 079	109 223
	355	125		109 080	109 224
	355	140		109 081	109 225
	355	160		109 082	109 226
	355	180		109 083	109 227
	355	200		109 084	109 228
	355	225		109 085	109 229
	355	250		109 086	109 230
	355	280		109 087	109 231
	355	315		109 088	109 232
	400	90		109 089	109 233
	400	110		109 090	109 234
	400	125		109 091	109 235
	400	140		109 092	109 236
	400	160		109 093	109 237
	400	180		109 094	109 238
	400	200		109 095	109 239
	400	225		109 096	109 240
	400	250		109 097	109 241
	400	280		109 098	109 242
	400	315		109 099	109 243
	400	355		109 100	109 244
	450	315		109 101	109 245
	450	400		109 102	109 246
	500	110		109 103	
	500	125		109 104	109 247

TEE REDUCED	D	d	Cat.No		
	mm	mm	PN20	PN10	PN16
	500	160		109 105	109 248
	500	250		109 106	109 249
	500	315		109 107	109 250
	500	400		109 108	109 251
	560	355		109 109	109 252
	560	400		109 110	109 253
	630	110		109 111	
	630	160		109 112	
	630	200		109 113	
	630	250		109 114	
	630	315		109 115	
	630	400		109 116	109 254
	630	500		109 117	109 255
	710	110		109 118	
	710	160		109 119	
	710	200		109 120	
	710	250		109 121	
	710	315		109 122	
	710	400		109 123	
	710	500		109 124	
	710	630		109 125	
	800	110		109 126	
	800	160		109 127	
	800	200		109 128	
	800	250		109 129	
	800	315		109 130	
	800	355		109 131	
	800	400		109 132	
	800	500		109 133	
	800	630		109 134	
	800	710		109 135	

WYE TEE 45°	D		Cat.No		
	mm		PN20	PN10	PN16
	63				110 008
	75				110 009
	90				110 010
	110			110 001	110 011
	125			110 002	110 012
	160			110 003	110 013
	200			110 004	110 014
	225			110 005	110 015
	200			110 006	110 016
	250			110 007	110 017
TRANSITION FITTING	D	Z	Cat.No		
MALE THREADED	mm	inch	PN20	PN10	PN16
No1.4301 / AISI 304 	20	1/2"			111 001
	25	3/4"			111 002
	32	1"			111 003
	40	1 1/4"			111 004
	50	1 1/2"			111 005
	63	2"			111 006
	75	2 1/2"			111 007
	90	3"			111 008
	110	4"			111 009
TRANSITION FITTING	D	Z	Cat.No		
FEMALE THREADED	mm	inch	PN20	PN10	PN16
	20	1/2"			112 001
	25	3/4"			112 002
	32	1"			112 003
	40	1 1/4"			112 004
	50	1 1/2"			112 005
	63	2"			112 006
	75	2 1/2"			112 007
	90	3"			112 008
	110	4"			112 009

INJECTION MOULDED PE100 ELECTROFUSION FITTINGS

COUPLER



D710...1600 ☎

D	HE3491-LS	PN16	PN10
20		201 001	
25		201 002	
32		201 003	
40		201 004	
50		201 005	
63		201 006	
75		201 007	
90		201 008	
110		201 009	
125		201 010	
140		201 011	
160		201 012	
180		201 013	
200		201 014	
225		201 015	
250		201 016	
280		201 017	
315		201 018	
355		201 019	
400		201 020	
450		201 021	201 025
500		201 022	201 026
560		201 023	201 027
630		201 024	201 028

ELBOW 90°



D		PN	Cat.No
20		16	202 001
25		16	202 002
32		16	202 003
40		16	202 004
50		16	202 005
63		16	202 006
75		16	202 007
90		16	202 008
110		16	202 009
125		16	202 010
140		16	202 011
160		16	202 012
180		16	202 013
200		16	202 014
225		16	202 015
250		16	202 016
315		16	202 017
355		16	202 018
400		16	202 019

ELBOW 45°



D		PN	Cat.No
32		16	203 001
40		16	203 002
50		16	203 003
63		16	203 004
75		16	203 005
90		16	203 006
110		16	203 007
125		16	203 008
140		16	203 009
160		16	203 010
180		16	203 011
200		16	203 012
225		16	203 013
250		16	203 014
315		16	203 015
355		16	203 016
400		16	203 017

TEE				
	D		PN	Cat.No
	20		16	204 001
	25		16	204 002
	32		16	204 003
	40		16	204 004
	50		16	204 005
	63		16	204 006
	75		16	204 007
	90		16	204 008
	110		16	204 009
	125		16	204 010
	140		16	204 011
	160		16	204 012
	180		16	204 013
	200		16	204 014
	225		16	204 015
	250		16	204 016
	315		16	204 017
	355		16	204 018
	400		16	204 019
END CAP				
	D		PN	Cat.No
	32		16	205 001
	40		16	205 002
	50		16	205 003
	63		16	205 004
	90		16	205 005
	110		16	205 006

REDUCER



D	d	PN	Cat.No
25	20	16	206 001
32	20	16	206 002
32	25	16	206 003
40	25	16	206 004
40	32	16	206 005
50	32	16	206 006
50	40	16	206 007
63	25	16	206 008
63	32	16	206 009
63	40	16	206 010
63	50	16	206 011
75	50	16	206 012
75	63	16	206 013
90	50	16	206 014
90	63	16	206 015
90	75	16	206 016
110	50	16	206 017
110	63	16	206 018
110	75	16	206 019
110	90	16	206 020
125	63	16	206 021
125	75	16	206 022
125	90	16	206 023
125	110	16	206 024
160	63	16	206 025
160	75	16	206 026
160	90	16	206 027
160	110	16	206 028
160	125	16	206 029
200	63	16	206 030
200	75	16	206 031
200	90	16	206 032
200	110	16	206 033
200	160	16	206 034
225	75	16	206 035
225	110	16	206 036
225	160	16	206 037
225	200	16	206 038
250	110	16	206 039
250	160	16	206 040
250	200	16	206 041
315	160	16	206 042
315	200	16	206 043
315	250	16	206 044
400	250	16	206 045
400	315	16	206 046

TEE REDUCED



D	d	PN	Cat.No
25	20	16	207 001
32	20	16	207 002
32	25	16	207 003
40	25	16	207 004
40	32	16	207 005
50	25	16	207 006
50	32	16	207 007
50	40	16	207 008
63	25	16	207 009
63	32	16	207 010
63	40	16	207 011
63	50	16	207 012
75	32	16	207 013
75	40	16	207 014
75	50	16	207 015
75	63	16	207 016
90	32	16	207 017
90	40	16	207 018
90	50	16	207 019
90	63	16	207 020
90	75	16	207 021
110	32	16	207 022
110	40	16	207 023
110	50	16	207 024
110	63	16	207 025
110	75	16	207 026
110	90	16	207 027

TEE REDUCED



D	d	PN	Cat.No
125	90	16	207 028
125	110	16	207 029
140	63	16	207 030
140	63	16	207 031
140	75	16	207 032
140	90	16	207 033
140	110	16	207 034
160	63	16	207 035
160	90	16	207 036
160	110	16	207 037
160	125	16	207 038
200	63	16	207 039
200	90	16	207 040
200	110	16	207 041
200	160	16	207 042
250	110	16	207 043
250	160	16	207 044
250	200	16	207 045
315	110	16	207 046
315	160	16	207 047
315	200	16	207 048
315	250	16	207 049
400	110	16	207 050
400	160	16	207 051
400	200	16	207 052
400	250	16	207 053
400	315	16	207 054

BRANCH SADDLE



D710...1600 ☎

D	d	PN	Cat.No
63	32	16	208 001
90	63	16	208 002
110	32	16	208 003
110	63	16	208 004
125	63	16	208 005
140	63	16	208 006
160	63	16	208 007
160	90	16	208 008
180	63	16	208 009
180	90	16	208 010
200	63	16	208 011
200	90	16	208 012
225	63	16	208 013
250	63	16	208 014
250	90	16	208 015
280	63	16	208 016
315	63	16	208 017
315	90	16	208 018
355	63	16	208 019
400	63	16	208 020
450	63	16	208 021
500	63	16	208 022
560	63	16	208 023
630	63	16	208 024
160	110	16	208 025
180	110	16	208 026
200	110	16	208 027
225	110	16	208 028
250	110	16	208 029
280	110	16	208 030
315	110	16	208 031
355	110	16	208 032
400	110	16	208 033
450	110	16	208 034
500	110	16	208 035
560	110	16	208 036
630	110	16	208 037

TAPPING SADDLE



D	d	PN	Cat.No
40	20	16	209 001
63	20	16	209 002
63	25	16	209 003
63	32	16	209 004
90	25	16	209 005
90	32	16	209 006
90	63	16	209 007
110	25	16	209 008
110	32	16	209 009
110	40	16	209 010
110	50	16	209 011
110	63	16	209 012
125	25	16	209 013
125	32	16	209 014
160	25	16	209 015
160	50	16	209 016
160	63	16	209 017
160	90	16	209 018
180	25	16	209 019
180	32	16	209 020
200	63	16	209 021
200	90	16	209 022
225	32	16	209 023
225	63	16	209 024
250	32	16	209 025
250	63	16	209 026
250	90	16	209 027
315	63	16	209 028
315	90	16	209 029
355	63	16	209 030
400	63	16	209 031

ACCESSORIES



SCRAPER

210 001



Pin4.7 to pin4.0 JOINING ADAPTER KIT

210 002

DUCTILE CAST IRON VALVE PRODUCTS EN1074-1,2,3,4,5:2000

HOUSE CONNECTION SERVICE VALVE



PN16

DN	BSPP	Threaded	OD, mm	Socket
20	3/4"	301 001	Φ25	301 006
25	1"	301 002	Φ32	301 007
32	1 1/4"	301 003	Φ40	301 008
40	1 1/2"	301 004	Φ50	301 009
50	2"	301 005	Φ63	301 010

RESILIENT SEATED GATE VALVE



DN	Serie 14 (F4 DIN)		Serie 15 (F5 DIN)	
	PN10,PN16	PN25	PN10,PN16	PN25
40	302 001	302 021	302 031	302 051
50	302 002	302 022	302 032	302 052
65	302 003	302 023	302 033	302 053
80	302 004	302 024	302 034	302 054
100	302 005	302 025	302 035	302 055
125	302 006	302 026	302 036	302 056
150	302 007	302 027	302 037	302 057
200	302 008	302 028	302 038	302 058
250	302 009	302 029	302 039	302 059
300	302 010	302 030	302 040	302 060
350	302 011		302 041	
400	302 012		302 042	
450	302 013		302 043	
500	302 014		302 044	
600	302 015		302 045	
700	302 016		302 046	
800	302 017		302 047	
900	302 018		302 048	
1 000	302 019		302 049	
1 200	302 020		302 050	

METAL SEATED GATE VALVE

Serie 14 (DIN F4)



DN	PN	Seat	T °C	Cat.No
40	16	Brass	110	303 001
50	16	Brass	110	303 002
65	16	Brass	110	303 003
80	16	Brass	110	303 004
100	16	Brass	110	303 005
125	16	Brass	110	303 006
150	16	Brass	110	303 007
200	10	Brass	110	303 008
250	10	Brass	110	303 009
300	10	Brass	110	303 010

RESILIENT SEATED VALVE WITH SOCKET ENDS FOR PVC PIPE



DN	OD PVC	T, °C	PN	Cat.No
50	Φ63	70	16	304 001
65	Φ75	70	16	304 002
80	Φ90	70	16	304 003
100	Φ110	70	16	304 004
150	Φ160	70	16	304 005
200	Φ200	70	16	304 006
250	Φ250	70	16	304 007
300	Φ315	70	16	304 008

RESILIENT SEATED VALVE WITH RESTRAINED ENDS FOR HDPE PIPE



DN	OD HDPE	T, °C	PN	Cat.No
50	Φ63	70	16	305 001
65	Φ75	70	16	305 002
80	Φ90	70	16	305 003
100	Φ110	70	16	305 004
150	Φ160	70	16	305 005
200	Φ200	70	16	305 006
250	Φ250	70	16	305 007
300	Φ315	70	16	305 008

ELECTROACTUATOR FOR GATE VALVE

Multiturn



DN	Typ	Power	Tork	Cat.No
50	EMD10	380V AC	100 Nm	306 001
65	EMD10	380V AC	100 Nm	306 002
80	EMD10	380V AC	100 Nm	306 003
100	EMD10	380V AC	100 Nm	306 004
125	EMD10	380V AC	100 Nm	306 005
150	EMD10	380V AC	100 Nm	306 006
200	EMD15	380V AC	100 Nm	306 007
250	EMD20	380V AC	200 Nm	306 008
300	EMD30	380V AC	300 Nm	306 009
350	EMD30	380V AC	300 Nm	306 010
400	EMD40	380V AC	400 Nm	306 011
450	EMD40	380V AC	400 Nm	306 012
500	EMD40	380V AC	400 Nm	306 013
600	EMD50	380V AC	500 Nm	306 014
700	EMD50	380V AC	500 Nm	306 015
800	EMD50	380V AC	500 Nm	306 016
900	EMD60	380V AC	610 Nm	306 017
1 000	EMD60	380V AC	610 Nm	306 018
1 200	EMD60	380V AC	610 Nm	306 019
50	EMD10	220V AC	60 Nm	306 020
65	EMD10	220V AC	60 Nm	306 021
80	EMD10	220V AC	60 Nm	306 022
100	EMD10	220V AC	60 Nm	306 023
125	EMD40	220V AC	150 Nm	306 024
150	EMD40	220V AC	150 Nm	306 025
200	EMD40	220V AC	150 Nm	306 026
250	EMD60	220V AC	250 Nm	306 027
300	EMD60	220V AC	250 Nm	306 028

BUTTERFLY VALVE WAFER WITH HANDLE



DN	PN	Body	SS304 disc	Nickel disc
40	16	GJS_500/7	307 010	307 001
50	16		307 011	307 002
65	16		307 012	307 003
80	16		307 013	307 004
100	16		307 014	307 005
125	16		307 015	307 006
150	16		307 016	307 007
200	10 * 16		307 017	307 008
250	10 * 16		307 018	307 009

BUTTERFLY VALVE WITH GEARBOX AND ELECTROACTUATOR



Quarterturn

DN	PN	Stainless steel disc		DI + Nickel disk
mm	bar	Electroa- ctuated	Gearbox	
50	16	308 037	308 019	308 001
65	16	308 038	308 020	308 002
80	16	308 039	308 021	308 003
100	16	308 040	308 022	308 004
125	16	308 041	308 023	308 005
150	16	308 042	308 024	308 006
200	10 * 16	308 043	308 025	308 007
250	10 * 16	308 044	308 026	308 008
300	10 * 16	308 045	308 027	308 009
350	10 * 16	308 046	308 028	308 010
400	10 * 16	308 047	308 029	308 011
450	10 * 16	308 048	308 030	308 012
500	10 * 16	308 049	308 031	308 013
600	10 * 16	308 050	308 032	308 014
700	10 * 16	308 051	308 033	308 015
800	10 * 16	308 052	308 034	308 016
900	10 * 16	308 053	308 035	308 017
1 000	10 * 16	308 054	308 036	308 018

FLANGED BUTTERFLY VALVE



DN	Body	Disc	PN16	PN10
50	GJS_500/7	GJS_500/7 Nickel coated	309 013	
65			309 014	
80			309 015	
100			309 016	
125			309 017	
150			309 018	
200			309 019	309 001
250			309 020	309 002
300			309 021	309 003
350			309 022	309 004
400			309 023	309 005
450			309 024	309 006
500			309 025	309 007
600			309 026	309 008
700			309 027	309 009
800			309 028	309 010
900			309 029	309 011
1 000			309 030	309 012

ECCENTRIC BUTTERFLY VALVES



DN	Double eccentric		Tripple eccentric	
	PN16	PN10	PN16	PN10
50	310 052		310 014	
65	310 053		310 015	
80	310 054		310 016	
100	310 055		310 017	
125	310 056		310 018	
150	310 057		310 019	
200	310 058	310 033	310 020	310 001
250	310 059	310 034	310 021	310 002
300	310 060	310 035	310 022	310 003
350	310 061	310 036	310 023	310 004
400	310 062	310 037	310 024	310 005
450	310 063	310 038	310 025	310 006
500	310 064	310 039	310 026	310 007
600	310 065	310 040	310 027	310 008
700	310 066	310 041	310 028	310 009
800	310 067	310 042	310 029	310 010
900	310 068	310 043	310 030	310 011
1 000	310 069	310 044	310 031	310 012
1 200	310 070	310 045	310 032	310 013
1 400	310 071	310 046		
1 600	310 072	310 047		
1 800	310 073	310 048		
2 000	310 074	310 049		
2 200		310 050		
2 400		310 051		

PRESSURE REDUCE VALVE



DN	P inlet	P outlet	Accuracy	Cat.No
50	≥25 bar	≥4 bar	±0,2 bar	311 001
65	≥25 bar	≥4 bar	±0,2 bar	311 002
80	≥25 bar	≥4 bar	±0,2 bar	311 003
100	≥25 bar	≥4 bar	±0,2 bar	311 004
125	≥25 bar	≥4 bar	±0,2 bar	311 005
150	≥25 bar	≥4 bar	±0,2 bar	311 006
200	≥25 bar	≥4 bar	±0,2 bar	311 007
250	≥25 bar	≥4 bar	±0,2 bar	311 008
300	≥25 bar	≥4 bar	±0,2 bar	311 009
350	≥25 bar	≥4 bar	±0,2 bar	311 010
400	≥25 bar	≥4 bar	±0,2 bar	311 011
450	≥25 bar	≥4 bar	±0,2 bar	311 012
500	≥25 bar	≥4 bar	±0,2 bar	311 013
600	≥25 bar	≥4 bar	±0,2 bar	311 014

FLOAT VALVE



DN	Control	Float ball	PN	Cat.No
50	1 upper level	AISI 316L	16	312 001
65			16	312 002
80			16	312 003
100			16	312 004
125			16	312 005
150			16	312 006
200			10 * 16	312 007
250			10 * 16	312 008
300			10 * 16	312 009
350			10 * 16	312 010
400			10 * 16	312 011
450			10 * 16	312 012
500			10 * 16	312 013
600			10 * 16	312 014

Y - STRAINER



DN	Basket	Material	PN	Cat.No
40	AISI 304	GJS_500/7	16	313 001
50			16	313 002
65			16	313 003
80			16	313 004
100			16	313 005
125			16	313 006
150			16	313 007
200			10 * 16	313 008
250			10 * 16	313 009
300			10 * 16	313 010
350			10 * 16	313 011
400			10 * 16	313 012
450			10 * 16	313 013
500			10 * 16	313 014

T - STRAINER



DN	Basket	T °C	PN	Cat.No
50	AISI 316	110	16	314 001
65		110	16	314 002
80		110	16	314 003
100		110	16	314 004
125		110	16	314 005
150		110	16	314 006
200		110	16	314 007
250		110	10 * 16	314 008
300		110	10 * 16	314 009
400		110	10 * 16	314 010
500		110	10 * 16	314 011
600		110	10 * 16	314 012

BALL CHECK VALVE THREADED



BSPP	Material	Mounting	PN	Cat.No
1 1/4"	GJS_500/7	horisontal	16	315 001
1 1/2"			16	315 002
2"			16	315 003
2 1/2"			16	315 004

BALL CHECK VALVE FLANGED



DN	Material	Mounting	PN	Cat.No
50	GJS_500/7	horizontal	16	316 001
65			16	316 002
80			16	316 003
100			16	316 004
125			16	316 005
150			16	316 006
200			10 * 16	316 007
250			10 * 16	316 008
300			10 * 16	316 009

SWING CHECK VALVE



DN	PN	Mounting	T ≤110°C	T ≤70°C
50	16	horizontal	117 010	317 001
65	16		117 011	317 002
80	16		117 012	317 003
100	16		117 013	317 004
125	16		117 014	317 005
150	16		117 015	317 006
200	10 * 16		117 016	317 007
250	10 * 16		117 017	317 008
300	10 * 16		117 018	317 009

SWING CHECK VALVE WITH WEIGHT



DN	Disc	T °C	PN	Cat.No
40	GJS_500/7	110	16	318 001
50		110	16	318 002
65		110	16	318 003
80		110	16	318 004
100		110	16	318 005
125		110	16	318 006
150		110	16	318 007
200		110	10 * 16	318 008
250		110	10 * 16	318 009
300		110	10 * 16	318 010
400		110	10 * 16	318 011

MEMBRANE SILENT CHECK VALVE



DN	Material	Mounting	PN	Cat.No
50	GJS_500/7	horisontal or vertical	16	319 001
65			16	319 002
80			16	319 003
100			16	319 004
125			16	319 005
150			16	319 006
200			10 * 16	319 007
250			10 * 16	319 008
300			10 * 16	319 009
350			10 * 16	319 010
400			10 * 16	319 011

WAFER DUAL PLATE CHECK VALVE



DN	PN	Body	Disc	Cat.No
40	16	GJS_500/7	GJS_500/7 hot dipp galvanised	320 001
50	16			320 002
65	16			320 003
80	16			320 004
100	16			320 005
125	16			320 006
150	16			320 007
200	10 * 16			320 008
250	10 * 16			320 009
300	10 * 16			320 010
350	10 * 16			320 011
400	10 * 16			320 012
450	10 * 16			320 013
500	10 * 16			320 014
600	10 * 16			320 015

WAFER SINGLE FLAP CHECK VALVE



DN	PN	Disc	Body SS304	Body S235
50	16	AISI 304	321 015	321 001
65	16		321 016	321 002
80	16		321 017	321 003
100	16		321 018	321 004
125	16		321 019	321 005
150	16		321 020	321 006
200	16		321 021	321 007
250	16		321 022	321 008
300	16		321 023	321 009
350	16		321 024	321 010
400	16		321 025	321 011
450	16		321 026	321 012
500	16		321 027	321 013
600	16		321 028	321 014

AIR RELEASE VALVES

 flanged inlet	DN	Typ		PN 25	PN10 * 16
	50	single body		322 040	322 001
	65			322 041	322 002
	80			322 042	322 003
	100			322 043	322 004
	125			322 044	322 005
	150			322 045	322 006
	200			322 046	322 007
	250			322 047	322 008
300	322 048			322 009	
 threaded inlet	1"	single body			322 010
	2"				322 011
	50	combination		322 049	322 012
	65			322 050	322 013
	80			322 051	322 014
	100			322 052	322 015
	150			322 053	322 016
	200			322 054	322 017
	50	combination for sewage			322 018
	65				322 019
	80				322 020
	100				322 021
	150				322 022
	1"	combination reinforced polyamide		PN10	322 023
	2"			PN16	322 024
 shaftless	DN	H=0,75 m	H=1 m	H=1,25 m	H=1,5 m
	50	322 025	322 029	322 033	322 037
	65	322 026	322 030	322 034	322 038
	80	322 027	322 031	322 035	322 039
	100	322 028	322 032	322 036	322 040

ACCESSORIES					
Street box	Размери	Material	Mass, kg	EN124 grade	Cat.No
	140x120x90	EN-GJS_500/7	2,700	C 250	323 001
	200x130x190	EN-GJS_500/7	4,800	C 250	323 002
	270x190x270	EN-GJS_500/7	11,000	D 400	323 003
	140x120x165	HDPE with DI lid	1,070	—	323 004
Handwheel	for valve DN	Material	F	Mass, kg	Cat.No
	40,50,65,80	GJL_250	17	1,800	323 005
	100		19	1,800	323 006
	125, 150		19	2,620	323 007
	200		24	2,620	323 008
	250, 300		27	4,100	323 009
	350, 400		27	6,500	323 010
	450,500,600		30	9,900	323 011
Casing	Typ	for valve	F, mm	L	
	fixed length	DN20-50	14	1,10 m	323 012
		DN65-80	17	1,10 m	323 013
		DN100-150	19	1,10 m	323 014
		DN200	24	1,10 m	323 015
		DN250-400	27	1,10 m	323 016

DUCTILE CAST IRON FITTINGS EN545:2010 / ISO2531

ALL FLANGED ELBOW 90°



DN 700-1800

DN	Coating	PN25	PN16	PN10
50	FBE	401 029	401 015	401 001
65		401 030	401 016	401 002
80		401 031	401 017	401 003
100		401 032	401 018	401 004
125		401 033	401 019	401 005
150		401 034	401 020	401 006
200		401 035	401 021	401 007
250		401 036	401 022	401 008
300		401 037	401 023	401 009
350		401 038	401 024	401 010
400		401 039	401 025	401 011
450		401 040	401 026	401 012
500		401 041	401 027	401 013
600		401 042	401 028	401 014

ALL FLANGED ELBOW 45°



DN 600-2600

DN	Coating	PN25	PN16	PN10
50	FBE	402 027	402 014	402 001
65		402 028	402 015	402 002
80		402 029	402 016	402 003
100		402 030	402 017	402 004
125		402 031	402 018	402 005
150		402 032	402 019	402 006
200		402 033	402 020	402 007
250		402 034	402 021	402 008
300		402 035	402 022	402 009
350		402 036	402 023	402 010
400		402 037	402 024	402 011
450		402 038	402 025	402 012
500		402 039	402 026	402 013

ALL FLANGED ELBOW 22°30'



DN 600-2600

DN	Coating	PN25	PN16	PN10
50	FBE	403 027	403 014	403 001
65		403 028	403 015	403 002
80		403 029	403 016	403 003
100		403 030	403 017	403 004
125		403 031	403 018	403 005
150		403 032	403 019	403 006
200		403 033	403 020	403 007
250		403 034	403 021	403 008
300		403 035	403 022	403 009
350		403 036	403 023	403 010
400		403 037	403 024	403 011
450		403 038	403 025	403 012
500		403 039	403 026	403 013

KALL FLANGED ELBOW 11°15'



DN 600-2600

DN	Coating	PN25	PN16	PN10
50	FBE	404 027	404 014	404 001
65		404 028	404 015	404 002
80		404 029	404 016	404 003
100		404 030	404 017	404 004
125		404 031	404 018	404 005
150		404 032	404 019	404 006
200		404 033	404 020	404 007
250		404 034	404 021	404 008
300		404 035	404 022	404 009
350		404 036	404 023	404 010
400		404 037	404 024	404 011
450		404 038	404 025	404 012
500		404 039	404 026	404 013

ALL FLANGED TAPER



DN 600....DN 2600

DN	dn	PN25	PN16	PN10
65	50	405 081	405 041	405 001
80	50	405 082	405 042	405 002
80	65	405 083	405 043	405 003
100	50	405 084	405 044	405 004
100	65	405 085	405 045	405 005
100	80	405 086	405 046	405 006
125	65	405 087	405 047	405 007
125	80	405 088	405 048	405 008
125	100	405 089	405 049	405 009
150	50	405 090	405 050	405 010
150	65	405 091	405 051	405 011
150	80	405 092	405 052	405 012
150	100	405 093	405 053	405 013
150	125	405 094	405 054	405 014
200	80	405 095	405 055	405 015
200	100	405 096	405 056	405 016
200	125	405 097	405 057	405 017
200	150	405 098	405 058	405 018
250	80	405 099	405 059	405 019
250	100	405 100	405 060	405 020
250	125	405 101	405 061	405 021
250	150	405 102	405 062	405 022
250	200	405 103	405 063	405 023
300	80	405 104	405 064	405 024
300	100	405 105	405 065	405 025
300	125	405 106	405 066	405 026
300	150	405 107	405 067	405 027
300	200	405 108	405 068	405 028
300	250	405 109	405 069	405 029
350	200	405 110	405 070	405 030
350	250	405 111	405 071	405 031
350	300	405 112	405 072	405 032
400	200	405 113	405 073	405 033
400	250	405 114	405 074	405 034
400	300	405 115	405 075	405 035
400	350	405 116	405 076	405 036
450	300	405 117	405 077	405 037
450	400	405 118	405 078	405 038
500	300	405 119	405 079	405 039
500	400	405 120	405 080	405 040

ALL FLANGED DUCKFOOT ELBOW



DN 40-1200

DN	Material	PN	Bitumen	FBE
50	GJS_500/7	16		406 002
80		16	406 001	406 003
100		16		406 004
150		16		406 005

ALL FLANGED CROSS



DN 350....DN 600

DN	dn	PN25	PN16	PN10
50	50	407 059	407 030	407 001
65	65	407 060	407 031	407 002
80	80	407 061	407 032	407 003
80	65	407 062	407 033	407 004
100	100	407 063	407 034	407 005
100	65	407 064	407 035	407 006
100	80	407 065	407 036	407 007
125	125	407 066	407 037	407 008
125	80	407 067	407 038	407 009
125	100	407 068	407 039	407 010
150	150	407 069	407 040	407 011
150	80	407 070	407 041	407 012
150	100	407 071	407 042	407 013
150	125	407 072	407 043	407 014
200	200	407 073	407 044	407 015
200	80	407 074	407 045	407 016
200	100	407 075	407 046	407 017
200	125	407 076	407 047	407 018
200	150	407 077	407 048	407 019
250	250	407 078	407 049	407 020
250	125	407 079	407 050	407 021
250	150	407 080	407 051	407 022
300	300	407 081	407 052	407 023
300	80	407 082	407 053	407 024
300	100	407 083	407 054	407 025
300	125	407 084	407 055	407 026
300	150	407 085	407 056	407 027
300	200	407 086	407 057	407 028
300	250	407 087	407 058	407 029

ALL FLANGED TEE 45°



DN	L, mm	L1, mm	PN	Cat.No
80	500	375	16	408 001
100	540	405	16	408 002
150	640	480	16	408 003
200	735	560	10-16	408 004
250	830	640	10-16	408 005
300	930	715	10-16	408 006
350	880	790	10-16	408 007
400	970	870	10-16	408 008
450	1060	950	10-16	408 009
500	1140	1025	10-16	408 010

ALL FLANGED TEE 90°



DN	dn	PN25	PN16	PN10
50	50	409 053	409 027	409 001
65	50	409 054	409 028	409 002
65	65	409 055	409 029	409 003
80	50	409 056	409 030	409 004
80	65	409 057	409 031	409 005
80	80	409 058	409 032	409 006
100	50	409 059	409 033	409 007
100	65	409 060	409 034	409 008
100	80	409 061	409 035	409 009
100	100	409 062	409 036	409 010
125	50	409 063	409 037	409 011
125	65	409 064	409 038	409 012
125	80	409 065	409 039	409 013
125	100	409 066	409 040	409 014
125	125	409 067	409 041	409 015
150	50	409 068	409 042	409 016
150	65	409 069	409 043	409 017
150	80	409 070	409 044	409 018
150	100	409 071	409 045	409 019
150	125	409 072	409 046	409 020
150	150	409 073	409 047	409 021
200	50	409 074	409 048	409 022
200	65	409 075	409 049	409 023
200	80	409 076	409 050	409 024
200	100	409 077	409 051	409 025
200	125	409 078	409 052	409 026

ALL FLANGED TEE 90°



DN	dn	PN25	PN16	PN10
200	150	409 131	409 105	409 079
200	200	409 132	409 106	409 080
250	50	409 133	409 107	409 081
250	65	409 134	409 108	409 082
250	80	409 135	409 109	409 083
250	100	409 136	409 110	409 084
250	125	409 137	409 111	409 085
250	150	409 138	409 112	409 086
250	200	409 139	409 113	409 087
250	250	409 140	409 114	409 088
300	80	409 141	409 115	409 089
300	100	409 142	409 116	409 090
300	125	409 143	409 117	409 091
300	150	409 144	409 118	409 092
300	200	409 145	409 119	409 093
300	250	409 146	409 120	409 094
300	300	409 147	409 121	409 095
350	80	409 148	409 122	409 096
350	100	409 149	409 123	409 097
350	125	409 150	409 124	409 098
350	150	409 151	409 125	409 099
350	200	409 152	409 126	409 100
350	250	409 153	409 127	409 101
350	300	409 154	409 128	409 102
350	350	409 155	409 129	409 103
400	80	409 156	409 130	409 104

ALL FLANGED TEE 90°



DN 600....DN 2600

DN	dn	PN25	PN16	PN10
400	100	409 211	409 184	409 157
400	125	409 212	409 185	409 158
400	150	409 213	409 186	409 159
400	200	409 214	409 187	409 160
400	250	409 215	409 188	409 161
400	300	409 216	409 189	409 162
400	350	409 217	409 190	409 163
400	400	409 218	409 191	409 164
450	80	409 219	409 192	409 165
450	100	409 220	409 193	409 166
450	125	409 221	409 194	409 167
450	150	409 222	409 195	409 168
450	200	409 223	409 196	409 169
450	250	409 224	409 197	409 170
450	300	409 225	409 198	409 171
450	350	409 226	409 199	409 172
450	400	409 227	409 200	409 173
450	450	409 228	409 201	409 174
500	80	409 229	409 202	409 175
500	100	409 230	409 203	409 176
500	125	409 231	409 204	409 177
500	150	409 232	409 205	409 178
500	200	409 233	409 206	409 179
500	250	409 234	409 207	409 180
500	300	409 235	409 208	409 181
500	350	409 236	409 209	409 182
500	400	409 237	409 210	409 183

ALL FLANGED PIPE



DN	L, mm	PN25	PN16	PN10
50	100	210 180	210 090	410 001
50	200	210 181	210 091	410 002
50	300	210 182	210 092	410 003
50	400	210 183	210 093	410 004
50	500	210 184	210 094	410 005
50	600	210 185	210 095	410 006
50	800	210 186	210 096	410 007
50	1 000	210 187	210 097	410 008
65	100	210 188	210 098	410 009
65	200	210 189	210 099	410 010
65	300	210 190	210 100	410 011
65	400	210 191	210 101	410 012
65	500	210 192	210 102	410 013
65	800	210 193	210 103	410 014
65	1 000	210 194	210 104	410 015
80	100	210 195	210 105	410 016
80	200	210 196	210 106	410 017
80	300	210 197	210 107	410 018
80	400	210 198	210 108	410 019
80	500	210 199	210 109	410 020
80	600	210 200	210 110	410 021
80	700	210 201	210 111	410 022
80	800	210 202	210 112	410 023
80	900	210 203	210 113	410 024
80	1 000	210 204	210 114	410 025
100	100	210 205	210 115	410 026
100	200	210 206	210 116	410 027
100	300	210 207	210 117	410 028
100	400	210 208	210 118	410 029

ALL FLANGED PIPE					
	DN	L, mm	PN25	PN16	PN10
	100	500	410 209	410 119	410 030
	100	600	410 210	410 120	410 031
	100	700	410 211	410 121	410 032
	100	800	410 212	410 122	410 033
	100	900	410 213	410 123	410 034
	100	1 000	410 214	410 124	410 035
	125	100	410 215	410 125	410 036
	125	200	410 216	410 126	410 037
	125	300	410 217	410 127	410 038
	125	400	410 218	410 128	410 039
	125	500	410 219	410 129	410 040
	125	600	410 220	410 130	410 041
	125	800	410 221	410 131	410 042
	125	1 000	410 222	410 132	410 043
	150	100	410 223	410 133	410 044
	150	200	410 224	410 134	410 045
	150	300	410 225	410 135	410 046
	150	400	410 226	410 136	410 047
	150	500	410 227	410 137	410 048
	150	600	410 228	410 138	410 049
	150	700	410 229	410 139	410 050
	150	800	410 230	410 140	410 051
	150	900	410 231	410 141	410 052
	150	1000	410 232	410 142	410 053
	200	100	410 233	410 143	410 054
	200	200	410 234	410 144	410 055
	200	300	410 235	410 145	410 056
	200	400	410 236	410 146	410 057
	200	500	410 237	410 147	410 058

ALL FLANGED PIPE



DN	L, mm	PN25	PN16	PN10
200	600	410 238	410 148	410 059
200	700	410 239	410 149	410 060
200	800	410 240	410 150	410 061
200	900	410 241	410 151	410 062
200	1000	410 242	410 152	410 063
250	100	410 243	410 153	410 064
250	200	410 244	410 154	410 065
250	300	410 245	410 155	410 066
250	400	410 246	410 156	410 067
250	500	410 247	410 157	410 068
250	600	410 248	410 158	410 069
250	700	410 249	410 159	410 070
250	800	410 250	410 160	410 071
250	900	410 251	410 161	410 072
250	1000	410 252	410 162	410 073
300	100	410 253	410 163	410 074
300	200	410 254	410 164	410 075
300	260	410 255	410 165	410 076
300	300	410 256	410 166	410 077
300	400	410 257	410 167	410 078
300	500	410 258	410 168	410 079
300	600	410 259	410 169	410 080
300	800	410 260	410 170	410 081
300	1000	410 261	410 171	410 082
350	320	410 262	410 172	410 083
350	450	410 263	410 173	410 084
350	550	410 264	410 174	410 085
400	370	410 265	410 175	410 086
400	740	410 266	410 176	410 087
450	600	410 267	410 177	410 088
450	1 000	410 268	410 178	410 089
500	300	410 269	410 179	410 090

BRANCH SADDLE THREADED OUTLET for HDPE / PVC pipe



OD HDPE	1/2"	3/4"	1"	1 1/4"
50	411 001	411 012	411 023	411 035
63	411 002	411 013	411 024	411 036
75	411 003	411 014	411 025	411 037
90	411 004	411 015	411 026	411 038
110	411 005	411 016	411 027	411 039
125	411 006	411 017	411 028	411 040
140	411 007	411 018	411 029	411 041
160	411 008	411 019	411 030	411 042
200	411 009	411 020	411 031	411 043
225	411 010	411 021	411 032	411 044
250	411 011	411 022	411 033	411 045
280			411 034	411 046
OD HDPE	1 1/2"	2"	2 1/2"	3"
63	411 047	411 059		
75	411 048	411 060		
90	411 049	411 061		
110	411 050	411 062	411 071	411 074
125	411 051	411 063		
140	411 052	411 064		
160	411 053	411 065	411 072	411 075
200	411 054	411 066		
225	411 055	411 067		
250	411 056	411 068		
280	411 057	411 069		
315	411 058	411 070	411 073	411 076

BRANCH SADDLE FLANGED OUTLET multipipe



DN pipe	Scope,mm	DN flange	PN	Cat.No
100	110-118	80	16	412 001
100	110-118	100	16	412 002
125	125-143	100	16	412 003
150	160-173	80	16	412 004
150	160-173	100	16	412 005
150	160-173	150	16	412 006
200	200-210	80	16	412 007
200	210-222	80	16	412 008
200	200-210	100	16	412 009
200	210-222	100	16	412 010
200	200-220	150	16	412 011
200	210-222	150	16	412 012
200	200-220	200	16	412 013
200	210-222	200	16	412 014
250	250-260	80	16	412 015
250	260-273	80	16	412 016
250	250-260	100	16	412 017
250	260-273	100	16	412 018
250	250-260	150	16	412 019
250	260-273	150	16	412 020
250	250-260	200	16	412 021
250	260-273	200	16	412 022
250	250-260	250	16	412 023
250	260-273	150	16	412 024
300	315-326	100	16	412 025
300	315-326	150	16	412 026
300	315-326	200	16	412 027
300	315-326	250	16	412 028
300	315-326	300	16	412 029
400	400-415	100	16	412 030
400	415-430	100	16	412 031
400	400-415	150	16	412 032
400	415-430	150	16	412 033
400	400-415	200	16	412 034
400	415-430	200	16	412 035
400	400-415	300	16	412 036
400	415-430	300	16	412 037
400	400-415	250	16	412 038
400	415-430	250	16	412 039
400	400-415	400	16	412 040
400	415-430	400	16	412 041

BRANCH SADDLE FLANGED OUTLET multipipe



DN pipe	Scope, OD	DN Flange	PN	Cat.No
500	500-515	100	16	412 042
500	515-532	100	16	412 043
500	500-515	150	16	412 044
500	515-532	150	16	412 045
500	500-515	200	16	412 046
500	515-532	200	16	412 047
500	500-515	300	16	412 048
500	515-532	300	16	412 049
500	500-515	400	16	412 050
500	515-532	400	16	412 051
600	625-632	100	16	412 052
600	625-632	150	16	412 053
600	625-632	200	16	412 054
600	625-632	300	16	412 055
600	625-632	400	16	412 056
600	625-632	500	16	412 057
700	700-720	100	16	412 058
700	720-738	100	16	412 059
700	700-720	150	16	412 060
700	720-738	150	16	412 061
700	700-720	200	16	412 062
700	720-738	200	16	412 063
700	700-720	300	16	412 064
700	720-738	300	16	412 065
700	700-720	400	16	412 066
700	720-738	400	16	412 067
800	800-820	100	16	412 068
800	820-842	100	16	412 069
800	800-820	150	16	412 070
800	820-842	150	16	412 071
800	800-820	200	16	412 072
800	820-842	200	16	412 073
800	800-820	250	16	412 074
800	820-842	250	16	412 075
800	800-820	300	16	412 076
800	820-842	300	16	412 077
800	800-820	400	16	412 078
800	820-842	400	16	412 079
1 000	1 000-1 048	100	16	412 080

UNIVERSAL FLANGE ADAPTER



DN	Scope	Material	PN	Cat.No
40	Φ48-60	GJS_500/7	16	413 001
50	Φ57-74		16	413 002
65	Φ72-85		16	413 003
80	Φ84-107		16	413 004
100	Φ96-116		16	413 005
100	Φ107-132		16	413 006
125	Φ133-157		16	413 007
150	Φ158-184		16	413 008
200	Φ192-210		16	413 009
200	Φ198-225		16	413 010
200	Φ218-244		10 * 16	413 011
250	Φ242-268		10 * 16	413 012
250	Φ266-295		10 * 16	413 013
300	Φ302-327		10 * 16	413 014
300	Φ315-349		10 * 16	413 015
300	Φ322-339		10 * 16	413 016
350	Φ340-360		10 * 16	413 017
350	Φ374-391		10 * 16	413 018
400	Φ398-430		10 * 16	413 019
450	Φ436-462		10 * 16	413 020
450	Φ455-475		10 * 16	413 021
500	Φ500-533		10 * 16	413 022
500	Φ526-546		10 * 16	413 023
600	Φ608-636		10 * 16	413 024
700	Φ710-739		10 * 16	413 025
800	Φ816-842		10 * 16	413 026
1 000	Φ1000-1016		10 * 16	413 027
1 200	Φ1215-1230		10 * 16	413 028

UNIVERSAL COUPLING



Scope		Material	PN	Cat.No
Φ48-60	Φ48-60	GJS_500/7	16	414 001
Φ57-74	Φ57-74		16	414 002
Φ68-86	Φ68-86		16	414 003
Φ84-107	Φ84-107		16	414 004
Φ96-116	Φ96-116		16	414 005
Φ107-132	Φ107-132		16	414 006
Φ133-157	Φ133-157		16	414 007
Φ158-184	Φ158-184		16	414 008
Φ192-210	Φ192-210		16	414 009
Φ198-225	Φ198-225		16	414 010
Φ218-244	Φ218-244		16	414 011
φ225-250	φ225-250		16	414 012
Φ242-268	Φ242-268		16	414 013
Φ266-295	Φ266-295		16	414 014
Φ302-327	Φ302-327		16	414 015
Φ315-349	Φ315-349		16	414 016
Φ340-360	Φ340-360		16	414 017
Φ374-391	Φ374-391		16	414 018
Φ398-430	Φ398-430		16	414 019
Φ436-462	Φ436-462		16	414 020
Φ455-475	Φ455-475		16	414 021
Φ500-533	Φ500-533		16	414 022
Φ526-546	Φ526-546		16	414 023
Φ608-636	Φ608-636		16	414 024
Φ615-649	Φ615-649		16	414 025
Φ710-739	Φ710-739		16	414 026
Φ816-842	Φ816-842		16	414 027
Φ1000-1016	Φ1000-1016		16	414 028
Φ1215-1230	Φ1215-1230		16	414 029

QUICK FLANGE FOR HDPE PIPE



DN	DE	Material	PN	Cat.No
40	Φ50	GJS_500/7	16	415 001
50	Φ63		16	415 002
65	Φ63		16	415 003
65	Φ75		16	415 004
80	Φ90		16	415 005
100	Φ110		16	415 006
125	Φ125		16	415 007
125	Φ140		16	415 008
150	Φ160		16	415 009
200	Φ200		10 * 16	415 010
200	Φ225		10 * 16	415 011
250	Φ250		10 * 16	415 012
300	Φ315		10 * 16	415 013
400	Φ400		10 * 16	415 014

RESTRAINED ADAPTER FOR HDPE PIPE



DN	DE	Material	PN	Cat.No
50	Φ63	GJS_500/7	16	416 001
65	Φ75		16	416 002
80	Φ90		16	416 003
100	Φ110		16	416 004
100	Φ125		16	416 005
125	Φ125		16	416 006
125	Φ140		16	416 007
150	Φ160		16	416 008
150	Φ180		16	416 009
200	Φ200		10 * 16	416 010
200	Φ225		10 * 16	416 011
250	Φ250		10 * 16	416 012
250	Φ280		10 * 16	416 013
300	Φ315		10 * 16	416 014
350	Φ355		10 * 16	416 015
400	Φ450		10 * 16	416 016
450	Φ450		10 * 16	416 017
500	Φ500		10 * 16	416 018
500	Φ560		10 * 16	416 019
600	Φ630		10 * 16	416 020
700	Φ710		10 * 16	416 021
800	Φ710		10 * 16	416 022
900	Φ900		10 * 16	416 023
1000	Φ1000		10 * 16	416 024
1200	Φ1200		10 * 16	416 025

RESTRAINED COUPLING FOR HDPE PIPE

	DE		Material	PN	Cat.No
	DE	DE			
	Φ63	Φ63	GJS_500/7	16	417 001
	Φ75	Φ75		16	417 002
	Φ90	Φ90		16	417 003
	Φ110	Φ110		16	417 004
	Φ125	Φ125		16	417 005
	Φ140	Φ140		16	417 006
	Φ160	Φ160		16	417 007
	Φ180	Φ180		16	417 008
	Φ200	Φ200		16	417 009
	Φ225	Φ225		16	417 010
	Φ250	Φ250		16	417 011
	Φ280	Φ280		16	417 012
	Φ315	Φ315		16	417 013
	Φ355	Φ355		16	417 014
	Φ450	Φ450		16	417 015
	Φ450	Φ450		16	417 016
	Φ500	Φ500		16	417 017
	Φ560	Φ560		16	417 018
	Φ630	Φ630		16	417 019
	Φ710	Φ710		16	417 020
	Φ710	Φ710		16	417 021
	Φ900	Φ900		16	417 022
	Φ1000	Φ1000		16	417 023
	Φ1200	Φ1200		16	417 024

FOOT VALVE

	DN	Check valve	Basket	PN	Cat.No
	50	membrane silent	SS 304	16	418 001
	65			16	418 002
	80			16	418 003
	100			16	418 004
	125			16	418 005
	150			16	418 006
	200			10 * 16	418 007
	250			10 * 16	418 008
	300			10 * 16	418 009

SUCTION BASKET



DN	H, mm	Material	PN	Cat.No
65	250	S235JR hot dipp galvanised	16	419 001
80	250		16	419 002
100	250		16	419 003
125	250		16	419 004
150	330		16	419 005
200	330		10	419 006
250	330		10	419 007
300	330		10	419 008
350	500		10	419 009
400	500		10	419 010
450	500		10	419 011
500	500		10	419 012
600	600		10	419 013

EXTENSION JOINT

max non-axiality $\leq 15^\circ$



DN700...DN 1200

DN	Extension	PN25	PN16	PN10
50	+7mm/-10mm	420 029	420 015	420 001
65	+7mm/-13mm	420 030	420 016	420 002
80	+8mm/-15mm	420 031	420 017	420 003
100	+10mm/-19mm	420 032	420 018	420 004
125	+12mm/-19mm	420 033	420 019	420 005
150	+12mm/-20mm	420 034	420 020	420 006
200	+16mm/-25mm	420 035	420 021	420 007
250	+16mm/-25mm	420 036	420 022	420 008
300	+16mm/-25mm	420 037	420 023	420 009
350	+16mm/-25mm	420 038	420 024	420 010
400	+16mm/-25mm	420 039	420 025	420 011
450	+16mm/-25mm	420 040	420 026	420 012
500	+16mm/-25mm	420 041	420 027	420 013
600	+20mm/-32mm	420 042	420 028	420 014

BELL MOUTH



DN 350...DN 2600

D	Material	PN25	PN16	PN10
80	GJS_500/7	421 013	421 005	
100		421 014	421 006	
125		421 015	421 007	
150		421 016	421 008	
200		421 017	421 009	421 001
250		421 018	421 010	421 002
300		421 019	421 011	421 003
400		421 020	421 012	421 004

DISMANTLING JOINT



DN1 400 - DN2 000

DN	Material	PN25	PN16	PN10
50	GJS_500/7	422 039	422 020	422 001
65		422 040	422 021	422 002
80		422 041	422 022	422 003
100		422 042	422 023	422 004
125		422 043	422 024	422 005
150		422 044	422 025	422 006
200		422 045	422 026	422 007
250		422 046	422 027	422 008
300		422 047	422 028	422 009
350		422 048	422 029	422 010
400		422 049	422 030	422 011
450		422 050	422 031	422 012
500		422 051	422 032	422 013
600		422 052	422 033	422 014
700			422 034	422 015
800			422 035	422 016
900			422 036	422 017
1 000			422 037	422 018
1 200			422 038	422 019

FLANGES

BACKING RING ISO9624:2019 for HDPE flange stub

S235JR galvanised
1.4301 / 1.4307 / 1.4401



OD pipe	DN	PN40	PN25	PN16	PN10
20	15	501 001		501 049	
25	20	501 002			
32	25	501 003			
40	32	501 004			
50	40	501 005			
63	50	501 006			
75	65	501 007			
90	80	501 008			
110	100	501 009			
125	100	501 010			
125	125	501 011			
140	125	501 012			
160	150	501 013			
180	150	501 014			
200	200	501 015	501 032	501 058	501 075
225	200	501 016	501 033	501 059	501 076
250	250	501 017	501 034	501 060	501 077
280	250	501 018	501 035	501 061	501 078
315	300	501 019	501 036	501 062	501 079
355	350	501 020	501 037	501 063	501 080
400	400	501 021	501 038	501 064	501 081
450	500	501 022	501 039	501 065	501 082
500	500	501 023	501 040	501 066	501 083
560	600	501 024	501 041	501 067	501 084
630	600	501 025	501 042	501 068	501 085
710	700	501 026	501 043	501 069	501 086
800	800	501 027	501 044	501 070	501 087
900	900	501 028	501 045	501 071	501 088
1 000	1 000	501 029	501 046	501 072	501 089
1 200	1 200	501 030	501 047	501 073	501 090
1 400	1 400	501 031	501 048	501 074	501 091

FLAT FLANGE EN1092-1:2018 typ 01

S235JR, P245GH
1.4301 / 1.4307 / 1.4401



DN	OD pipe	PN40	PN25	PN16	PN10
10	17,2	502 095			
15	21,8	502 096			
20	26,9	502 097			
25	33,7	502 098			
32	43,4	502 099			
40	48,3	502 100			
50	54,0	502 101		502 027	
50	57,0	502 102		502 028	
50	60,3	502 103		502 029	
65	70,0	502 104		502 030	
65	76,1	502 105		502 031	
80	84,0	502 106		502 032	
80	88,9	502 107		502 033	
100	104,0	502 108		502 034	
100	108,0	502 109		502 035	
100	114,3	502 110		502 036	
125	129,0	502 111		502 037	
125	133,0	502 112		502 038	
125	139,7	502 113		502 039	
150	154,0	502 114		502 040	
150	159,0	502 115		502 041	
150	168,3	502 116		502 042	
200	204,0	502 117	502 069	502 043	502 001
200	219,1	502 118	502 070	502 044	502 002
250	254,0	502 119	502 071	502 045	502 003
250	273,0	502 120	502 072	502 046	502 004
300	306,0	502 121	502 073	502 047	502 005
300	323,9	502 122	502 074	502 048	502 006
350	355,6	502 123	502 075	502 049	502 007
350	377,0	502 124	502 076	502 050	502 008
400	406,4	502 125	502 077	502 051	502 009
400	426,0	502 126	502 078	502 052	502 010
450	457,2	502 127	502 079	502 053	502 011
450	478,0	502 128	502 080	502 054	502 012
500	508,0	502 129	502 081	502 055	502 013
500	530,0	502 130	502 082	502 056	502 014
600	609,6	502 131	502 083	502 057	502 015
600	630,0	502 132	502 084	502 058	502 016
700	711,2	502 133	502 085	502 059	502 017
700	720,0	502 134	502 086	502 060	502 018
800	812,8	502 135	502 087	502 061	502 019
800	820,0	502 136	502 088	502 062	502 020
900	914,4	502 137	502 089	502 063	502 021
900	920,0	502 138	502 090	502 064	502 022
1 000	1016,0	502 139	502 091	502 065	502 023
1 000	1020,0	502 140	502 092	502 066	502 024
1 200	1 219,2	502 141	502 093	502 067	502 025
1 400	1 415,2	502 142	502 094	502 068	502 026

BLIND FLANGE EN1092-1:2018 typ 05

S235JR, P245GH
1.4301 / 1.4307 / 1.4401



DN	PN63	PN40	PN25	PN16	PN10
10	503 075	503 049		503 015 503 016 503 017 503 018 503 019 503 020	
15	503 076	503 050			
20	503 077	503 051			
25	503 078	503 052			
32	503 079	503 053			
40	503 080	503 054			
50	503 081	503 055			
65	503 082	503 056			
80	503 083	503 057			
100	503 084	503 058			
125	503 085	503 059			
150	503 086	503 060			
200	503 087	503 061	503 035	503 021	503 001
250	503 088	503 062	503 036	503 022	503 002
300	503 089	503 063	503 037	503 023	503 003
350	503 090	503 064	503 038	503 024	503 004
400	503 091	503 065	503 039	503 025	503 005
450	503 092	503 066	503 040	503 026	503 006
500	503 093	503 067	503 041	503 027	503 007
600	503 094	503 068	503 042	503 028	503 008
700	503 095	503 069	503 043	503 029	503 009
800	503 096	503 070	503 044	503 030	503 010
900	503 097	503 071	503 045	503 031	503 011
1 000	503 098	503 072	503 046	503 032	503 012
1 200	503 099	503 073	503 047	503 033	503 013
1 400	503 100	503 074	503 048	503 034	503 014

RUBBER GASKETS EN1514-1: 1997



DN mm	Thickness mm	SBR		EPDM	
		Full face	Flat	Full face	Flat
40	≤3	504 001	504 020	504 039	504 058
50	≤3	504 002	504 021	504 040	504 059
65	≤3	504 003	504 022	504 041	504 060
80	≤3	504 004	504 023	504 042	504 061
100	≤3	504 005	504 024	504 043	504 062
125	≤3	504 006	504 025	504 044	504 063
150	≤3	504 007	504 026	504 045	504 064
200	≤3	504 008	504 027	504 046	504 065
250	≤4	504 009	504 028	504 047	504 066
300	≤4	504 010	504 029	504 048	504 067
350	≤4	504 011	504 030	504 049	504 068
400	≤4	504 012	504 031	504 050	504 069
450	≤5	504 013	504 032	504 051	504 070
500	≤5	504 014	504 033	504 052	504 071
600	≤5	504 015	504 034	504 053	504 072
700	≤5	504 016	504 035	504 054	504 073
800	≤5	504 017	504 036	504 055	504 074
900	≤5	504 018	504 037	504 056	504 075
1 000	≤5	504 019	504 038	504 057	504 076